


LED STREET LIGHTS



UNI-SERIES LED STREET LIGHTS



Model	LED Power	Voltage	Lumen (lm)	Color Rendering	Color Temp (K)	Beam Angle(°C)
UNISTWF-0001	145W	AC100-240V/50-60HZ	60lm/watt	>75	4000-8000K	130°C
UNISTWF-0002	105W	AC100-240V/50-60HZ	60lm/watt	>75	4000-8000K	130°C
UNISTWF-0003	75W	AC100-240V/50-60HZ	60lm/watt	>75	4000-8000K	130°C
UNISTWF-0004	38W	AC100-240V/50-60HZ	60lm/watt	>75	4000-8000K	130°C
UNISTWF-0005	300W	AC100-240V/50-60HZ	70lm/watt	>75	4000-8000K	130°C
UNISTWF-0006	220W	AC100-240V/50-60HZ	70lm/watt	>75	4000-8000K	130°C
UNISTWF-0007	145W	AC100-240V/50-60HZ	70lm/watt	>75	4000-8000K	130°C
UNISTWF-0008	72W	AC100-240V/50-60HZ	70lm/watt	>75	4000-8000K	130°C

BNL SERIES STREET LIGHTS AND BULBS



BNL-XY-L56W

BNL-XY-L70W

BNL-XY-L84W


BNL-XY-L98W

BNL-XY-L112W


BNL-XY-L140W

Model	LED Power	Voltage	Lumen (lm)	Color Rendering	Color Temp (K)	Beam Angle(°C)
BNL-XY-L56W		56W	AC170-250V	>80	3000-6000K	50°C
BNL-XY-L70W		70W	AC80V-265VAC	>80	3000-6000K	50°C
BNL-XY-L84W		84W	AC80V-265VAC	>80	3000-6000K	50°C
BNL-XY-L98W		98W	AC80V-265VAC	>80	3000-6000K	50°C
BNL-XY-L112W		112W	AC80V-265VAC	>80	3000-6000K	50°C
BNL-XY-L126W		126W	AC80V-265VAC	>80	3000-6000K	50°C
BNL-XY-L140W		140W	AC80V-265VAC	>80	3000-6000K	50°C

ZGSM SERIES STREET LIGHTS AND BULBS




ZGSM-LLD-XWB90W




ZGSM-LLD-XW30W



ZGSM-LLDXW50W



ZGSM-LLDXWB70W




ZGSM-LLD-XWB110W

Model	LED Power	Voltage	Lumen (lm)	Color Rendering	Color Temp (K)	Beam Angle(°C)
ZGSM-LLD-XWB90W	90W	90-264V AC 50-60HZ	90 lm/watt	>80	3700-5000K	168°C
ZGSM-LLD-XW30W	30W	90-264V AC 50-60HZ	80 lm/watt	>80	3700-5000K	168°C
ZGSM-LLD-XW50W	50W	90-264V AC 50-60HZ	80 lm/watt	>80	3700-5000K	168°C
ZGSM-LLDXWB70W	70W	90-264V AC 50-60HZ	90 lm/watt	>80	3700-5000K	168°C
ZGSM-LLD-XWB110W	110W	90-264V AC 50-60HZ	90 lm/watt	>80	3700-5000K	168°C


JB SERIES LED STREET LIGHTS AND BULBS



JB720LD




JB5324LD




Model	LED Power	Voltage	Lumen (lm)	Color Rendering	Color Temp (K)	Beam Angle(°C)
JB720 LD 30w	30w	AC(230V/220V/110V) DC(12v/ 24v)	100lm/watt	>80	2700-7000k	65°C
JB720 LD 40w	40w	AC(230V/220V/110V) DC(12v/ 24v)	100lm/watt	>80	2700-7000k	65°C
JB720 LD 50w	50w	AC(230V/220V/110V) DC(12v/ 24v)	100lm/watt	>80	2700-7000k	65°C
JB720 LD 60 w	60w	AC(230V/220V/110V) DC(12v/ 24v)	100lm/watt	>80	2700-7000k	65°C
JB720 LD 70w	70w	AC(230V/220V/110V) DC(12v/ 24v)	100lm/watt	>80	2700-7000k	65°C
JB720 LD100 w	100w	AC(230V/220V/110V) DC(12v/ 24v)	100lm/watt	>80	2700-7000k	65°C
JB5324LD 10W	10W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000k	70°C
JB5324LD15W	15W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000k	70°C
JB5324LD18W	18W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000k	70°C
JB5324LD20W	20W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000k	70°C


JB SERIES STREET LIGHTS AND BULBS



JB920LD



JB1200LD




Model	LED Power	Voltage	Lumen (lm)	Color Rendering	Color Temp (K)	Beam Angle(°C)
JB920 LD 30w	30w	AC(230V 220V/110V) DC(12v/ 24v)	100lm/watt	>80	2700-7000K	65°C
JB920LD 40W	40W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	65°C
JB920LD50W	50W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	65°C
JB920LD60W	60W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	65°C
JB920LD70W	70W	AC(230V/220/110V)D C(12V/24V)	100lm/watt	>80	2700-7000K	65°C
JB920LD80W	80W	AC(230/220V/110V)D C(12V/24V)	100lm/watt	>80	2700-7000K	65°C
JB920LD90W	90W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	65°C
JB920LD100W	100W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	65°C
JB920LD120W	120W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000k	65°C

JB1200LD 140W	140W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt0	>80	2700-7000K	65°C
JB1200LD160W	160W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000k	65°C
JB1200LD180W	180W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	65°C
JB1200LD200W	200W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	65°C


JB SERIES STREET LIGHTS AND BULBS



JB7235LD



JB635LD




Model)	LED Power	Voltage	Lumen (lm)	Color Rendering	Color Temp (K)	Beam Angle(°C)
JB7235LD10W	10W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	70°C
JB7235LD15W	15W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	70°C
JB7235LD18W	18W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	70°C
JB7235LD20W	20W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	70°C
JB7235LD25W	25W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	70°C
JB7235LD30W	30W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	70°C
JB7235LD35W	35W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	70°C
JB7235LD40W	40W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	70°C

JB635LD100W	100W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	80°C
JB635LD140W	140W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	80°C
JB635LD160W	160W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	80°C
JB635LD180W	180W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	80°C
JB635LD200W	200W	AC(230V/220V/110 V)DC(12V/24V)	100lm/watt	>80	2700-7000K	80°C


JB SERIES STREET LIGHTS AND BULBS



JB750LD



JB910LD



Model)	LED Power	Voltage	Lumen (lm)	Color Rendering (RA)	Color Temp (K)	Beam Angle(°C)
JB750LD40W	40W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB750LD50W	50W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB750LD60W	60W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB750LD70W	70W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB750LD80W	80W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB750LD90W	90W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB750LD90W	90W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB750LD100W	100W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB750LD120W	120W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C

JB910LD120W	120W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB910LD140W	140W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C
JB910LD160W	160W	AC(230V/220V/110V) DC(12V/24V)	100lm/watt	>80	2700-7000K	75°C